



COMPLETE

FLY ASH BRICKS AND




INTERLOCKING
PAVER BLOCK
MAKING MACHINERY



Manufacturer & Exporter

AN ISO 9001 : 2015 CERTIFIED COMPANY


Model - KMC 007
Vibrating Table




Checked Tiles



Bricks




Cosmic



Hexagon Paver



Damru Paver



Kerb Stone

Technical Specification

Table size	: 10ft x 3ft
Electric motor	: 2hp/3hp 3phase (Special vibration motor)
Production Capacity	: 2500 to 3000 pcs.
Material use for Build	: Top pallet 8/10mm, side pallets 8/10mm
Application	: For Making paver block, chequered tiles, curb stone, covering block through pvc rubber or plastic mould.

Model - KMC 008
Color Mixer Machine



Technical Specification

Diameter	: 750 MM
Pan Height	: 300 MM
Mixing Capacity	: 100kg to 120kg
Electric Motor	: 2HP 3phase
Oil Capacity	: 10ltr. Gear Oil
Material Mixing	: By Heavy hand faced
Material Charges/Discharge	: Manual
Material use for Build	: Bottom pallet 8mm, side pallets 6mm
Application	: For color mixing top color layer of paver blocks.

Model - KMC 009
Blade Pan Mixer machine



Technical Specification

Diameter	: 1500 MM/1800 MM
Pan Height	: 500 MM
Mixing Capacity	: 400kg to 500kg
Electric Motor	: 5HP/7.5HP 3phase
Oil Capacity	: 15ltr. Gear Oil
Material Mixing	: By Heavy hand faced scraper
Material Charges	: Manual
Material Discharges	: Manual bottom door opening
Material use for Build	: Bottom pallet 12/15mm, side pallets 6/8mm
Application	: Mixing raw material of concrete, sand, cement 2nd layer of paver block.

Technical Specification

Machine Size	: 1/2 bag & 1 bag
Electric Motor	: 3HP/5HP 3phase
Diesel Engine	: 5HP & 7.5HP
Material Mixing	: By Heavy hand faced scraper
Drum Speed	: 25-30RPM
Material charges	: Manual
Material Discharge	: Manual
Application	: Mixing raw material of concrete, sand, cement 2nd layer of paver block.

Model - KMC 0010
Concrete Mixer Machine





ZIG-ZAG



I PAVER



COSMIC



COLORADO



DAMRU




DAMRU



COSMIC



BROOKS



DOUBLE D



GALAXY



HEXAGONE



JHONSON



IRON OXIDE RED Y-101
IRON OXIDE RED 130

IRON OXIDE YELLOW-810

IRON OXIDE BLACK-330

IRON OXIDE ORANGE-2040



IRON OXIDE BROWN-686

IRON OXIDE GREEN DALUTED -7

IRON OXIDE BLUE DALUTED -ALFA



Chemical Specification

Paver Block And Cement Brick,Block Plasticizer For Accelerating The Setting Time Of Plain Cement Concrete For Early Development Of Strength

HARDENER Should Be Directly Added To The Mix Preferably With The Mixing Water.The Optimum Dosage Rate Should Be Determined By Site Trials

Advantage

Increases The Rate Of Strength Development

Increases Density

Accelerates The Hardening Of Floors And Screeds

Accelerates The Setting Time Of Concrete

Resistant To Freezing In Cold Weather Concreting

Can Be Used For P.C.C. Work And Paver Block Making

Ideal For Hollow Block And Concrete Bricks

Allows Continue Placing Of Concrete At Low Temperature





Futures

Size 8Feet x 4Feet ,4 Feet x 4 Feet

Thikness 8MM ,12MM ,18MM ,24MM



WATER PROOF



FIRE RETARDANT



TERMITE PROOF



ECO FRIENDLY



UV PROTECTION



DURABILITY



CHEMICAL RESISTANCE



EASY INSTALL



THERMAL RESISTANCE



DUST PROOF



RECYCLABLE

	Density	Compressive Strength	Tensile Strength	Flexural Strength	Screw Holding Strength	Nail Holding Strength	72 Hr Boiling	Water Absorption
RPS	1.12 gm/cm ³	20.00 N/mm ²	19.45 N/mm ²	22.83 N/mm ²	138 kg	12.60 kg	No Swelling	0.20%
MDF	0.75 gm/cm ³	10 N/mm ²	18.00 N/mm ²	15.78 N/mm ²	82 kg	2 kg	Swelling	10 - 12%
Plywood	0.79 gm/cm ³	15.30 N/mm ²	24.80 N/mm ²	24.80 N/mm ²	-	-	Delamination	8%

Pallets Trolley



Hydraulic Forklift Trolley



Cycle Trolley



Borrow Trolley





Kailash

Machinery & Chemicals

KAILASH MACHINERY & CHEMICALS

Plot No. 47p, Shivay Industrial, B/H Himalay Tharmoplast
Rajpar Road, Morbi - 363641

Contact No.

+91 84600 34154 / +91 99782 34154

Email / Website

Kailashengkmk111@gmail.com

www.kailashmachineryandchemicals.com

